



Test Report

Report No. A2250947137102005R1

Page 1 of 8

Company Name HUIZHOU BAISHIDACHEMICAL CO., LTD/SHENZHENPOLU CONDUCTIVE
shown on Report PRINTING TECHNOLOGY CO.,LTD
Address HUIZHOU CITY, HUIYANG DISTRICT, YONGHU TOWN, HONGHAI FINE
 CHEMICAL BASE, PLOT F-14-1

The following sample(s) and sample information was/were submitted and identified by/on the behalf of the applicant

Sample Name 油墨
 Model No. See page 5-6
 Color 黑色
 Material 油墨
 Sample Received Date Dec. 18, 2025
 Testing Period Dec. 18, 2025 to Dec. 22, 2025

Test Requested As specified by client, to test Polycyclic Aromatic Hydrocarbons (PAHs) in the submitted sample(s).

Test Method/Test Result(s) Please refer to the following page(s).



Wenjun Wang

Date

Jan. 8, 2026

Wenjun Wang

Lab Authorized Signatory

No. R200821030

Centre Testing International Group Co.,Ltd. Shunde Branch
 检验检测专用章
 Room 501, 902, Yongying Building, Section 2, No.8, East of Rongqi Avenue, Ronggui, Shunde
 District Foshan, Guangdong, China

Test Report

Report No. A2250947137102005R1

Page 2 of 8

Test Method

Tested Item(s)	Test Method	Measured Equipment(s)
Polycyclic Aromatic Hydrocarbons (PAHs)	AfPS GS 2019:01 PAK	GC-MS

Test Result(s)

Tested Item(s)	Result	MDL
	005	
Polycyclic Aromatic Hydrocarbons (PAHs)		
Naphthalene	N.D.	0.2 mg/kg
Phenanthrene	N.D.	0.2 mg/kg
Anthracene	N.D.	0.2 mg/kg
Fluoranthene	N.D.	0.2 mg/kg
Pyrene	N.D.	0.2 mg/kg
Chrysene	N.D.	0.2 mg/kg
Benzo(a)anthracene	N.D.	0.2 mg/kg
Benzo(b)fluoranthene	N.D.	0.2 mg/kg
Benzo(k)fluoranthene	N.D.	0.2 mg/kg
Benzo(j)fluoranthene	N.D.	0.2 mg/kg
Benzo(a)pyrene	N.D.	0.2 mg/kg
Benzo(e)pyrene	N.D.	0.2 mg/kg
Dibenzo(a,h)anthracene	N.D.	0.2 mg/kg
Benzo(g,h,i)perylene	N.D.	0.2 mg/kg
Indeno(1,2,3-cd)pyrene	N.D.	0.2 mg/kg
Sum (Phenanthrene, Anthracene, Fluoranthene, Pyrene)	N.D.	/
Sum 15 PAHs	N.D.	/

Test Report

Report No. A2250947137102005R1

Page 3 of 8

Maximum PAHs limits (mg/kg) for the materials with relevant contact/grip and operating surfaces that are to be categorised based on the results of the risk assessment

Parameters	Category 1	Category 2		Category 3	
	Materials intended to be placed in the mouth, or materials in toys according to Directive 2009/48/EC or materials for the use by children up to 3 years of age coming into long-term contact with skin (more than 30s) during the intended use	Materials not covered by category 1, coming into long-term contact (more than 30s) or short-term repetitive contact** with skin during the intended or foreseeable use	Use by children (< 14 years) (include both active and passive direct contact)	Other consumer products	Use by children (< 14 years) (include both active and passive direct contact)
Benzo(a)pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(e)pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(a)anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(b)fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(j)fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(k)fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Chrysene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Dibenz(a,h)anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(g,h,i)perylene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Indenol(1,2,3-cd)pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Phenanthrene, Anthracene, Fluoranthene, Pyrene	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum
Naphthalene	< 1	< 2		< 10	
Sum 15 PAHs	< 1	< 5	< 10	< 20	< 50

** Definition “short-term repetitive contact” taken from REACH Annex XVII entry 50 amendment (REGULATION (EU) No.1272/2013)

Test Report

Report No. A2250947137102005R1

Page 4 of 8

Sample/Part Description

No.	CTI Sample ID	Description
1	005	Black liquid(dry weight)

Remark: The sample(s) was tested after drying for 2 hours under 105°C.


-MDL = Method Detection Limit

-N.D. = Not Detected (<MDL)

-mg/kg = ppm = parts per million

- According to the client's statement, the reasons for the multiple information in the "sample information" of this report may include (but are not limited to): supplying to different buyers, being sold to different countries or regions, former names, or mixtures of several substances.

Note: This testing report revised "Model No.," based on the original report of No. A2250947137102005. This testing report displaces the original one which was invalid since the date of this testing report released.

Test Process

Test Report

Report No. A2250947137102005R1

Page 5 of 8

Model No.:

PIC-1083B(**), PA-1083, PB-1083(**), PB-1083-5(**), PBT-1083-3, PBT-1083-3W, PBW-1083(**), PBW-1083-3, PBW-10833(**), PD-1083, PD-1083(**), PE-1083, PE-1083(**), PE-1083-3, PET-1083, PET-1083(**), PET-1083-3, PET-1083-3(**), PF-1083(**), PIC-1083(**), PIC-1083(**), PIC-1083-3, PIC-1083-5(**), PIC-1083-8, PIC-1083-8(**), PIC-1083B, PIC-1083B(**), PIC-1083D, PIC-1083K(**), PIC-1083B-5(**), PN-1083(**), PR-1083, PR-1083(**), PS-1083, PS-1083B(**), PV-1083(**), UV-1083, PIC-1085, PIC-1085(**), PIC-1085-3, PIC-1085-5, PIC-1085-8, PIC-1085B, PIC-1085B(**), PIC-1085B-5(**), PIC-1085D, PIC-1085K, PA-1001, PA-1001(**), PB-1001(**), PBT-1001, PBT-1001(**), PBW-1001(**), PD-1001, PD-1001(**), PE-1001, PE-1001(**), PET-1001, PET-1001(**), PG-1001(**), PIC-1001(**), PIC-1001-5, PIC-1001-8, PIC-1001B, PIC-1001B(**), PIR-1001, PIR-1001(**), PS-1001, PT-1001(**), PV-1001, PV-1001(**), PW-1001(**), PM-1001(**), UV-1001(**), UV-100125C, PA-1075, PA-1075(**), PA-1075-5(**), PB-1075(**), PB-1075-5(**), PBT-1075, PBT-1075-3, PBT-1075-3(**), PBT-1075-3W, PBW-1075(**), PBW-1075-3, PD-1075, PD-1075(**), PD-1075-3, PD-1075-3W, PD-1075-5, PD-1075-5(**), PE-1075, PE-1075(**), PE-1075-3, PET-1075, PET-1075(**), PET-1075-3, PG-1075, PG-1075(**), PIC-1075(**), PIC-1075-3, PIC-1075-4, PIC-1075-5, PIC-1075-5(**), PIC-1075B(**), PIC-1075B, PIC-1075B-2, PIC-1075D(**), PR-1075T(**), KV-1004, KV-1004(**), PB-1004(**), PBW-1004(**), PD-1004(**), PIC-1004(**), PIR-1004(**), PR-1004, PR-1004(**), PT-1004(**), POLU-10C, POLU-10C(**), PR-10C, PR-10C(**), PA-1035, PA-1035(**), PBT-1035, PBW-1035(**), PD-1035(**), PE-1035, PE-1035(**), PET-1035, PG-1035(**), PIC-1035(**), PIC-1035-3, PIC-1035-4, PIC-1035-8, PIC-1035B, PIC-1035B(**), PIC-1035B-2, PIC-1035B-3, PIR-1035(**), POLU-1035, POLU-1035(**), PR-1035, PR-1035(**), PT-1035, PT-1035(**), PV-1035, RC-1035(**), UV-1035(**), PA-1028(**), PBW-1028(**), PD-1028(**), PG-1028(**), PIC-1028(**), PIC-1028-3, PIC-1028-4, PIC-1028B, PIC-1028B(**), PIC-1028B-2, PIC-1028B-3, PR-1028, PR-1028(**), PT-1028(**), PBT-1046, PBW-1046(**), PD-1046, PD-1046(**), PD-1046-2, PE-1046(**), PET-1046, PIC-1046, PIC-1046(**), PIC-1046-4, PIC-1046-8, PIC-1046B, PIC-1046B-2, PIC-1046B-3, POLU-1046, PR-1046, PV-1046.PBT-1048, PBW-1048(**), PD-1048(**), PE-1048, PE-1048(**), PET-1048, PIC-1048(**), PIC-1048-3.PIC-1048-4, PIC-1048-8, PIC-1048B, PIC-1048B(**), PIR-1048(**), PN-1048(**), POLU-1048, POLU-1048(**), PR-1048, PR-1048(**), PT-1048, PT-1048(**), PV-1048.PBT-1026, PE-1026, PE-1026(**), PET-1026, PIC-1026(**), PIC-1026-8, PIC-1026B, PIC-1026B(**), PIC-1026B-2, PR-1026, PR-1026, PR-1026(**), PV-1026.PA-1075, PA-1075(**), PA-1075-5(**), PB-1075(**), PB-1075-5(**), PBT-1075, PBT-1075-3, PBT-1075-3(**), PBT-1075-3W, PBW-1075(**), PBW-1075-3, PD-1075, PD-1075(**), PD-1075-3, PD-1075-3W, PD-1075-5, PD-1075-5(**), PE-1075, PE-1075(**), PE-1075-3, PET-1075, PET-1075(**), PET-1075-3, PG-1075, PG-1075(**), PIC-1075(**), PIC-1075-3, PIC-1075-4, PIC-1075-5, PIC-1075-5(**), PIC-1075B(**), PIC-1075B, PIC-1075B-2, PIC-1075D(**), PR-1075T(**).KV-1004, KV-1004(**), PB-1004(**), PBW-1004(**), PD-1004(**), PIC-1004(**), PIR-1004(**), PR-1004, PR-1004(**), PT-1004(**).POLU-10C, POLU-10C(**), PR-10C, PR-10C(**).PA-1035, PA-1035(**), PBT-1035, PBW-1035(**), PD-1035(**), PE-1035, PE-1035(**), PET-1035, PG-1035(**), PIC-1035(**), PIC-1035-3, PIC-1035-4, PIC-1035-8, PIC-1035B, PIC-1035B(**), PIC-1035B-2, PIC-1035B-3, PIR-1035(**), POLU-1035, POLU-1035(**), PR-1035, PR-1035(**), PT-1035, PT-1035(**), PV-1035, RC-1035(**), UV-1035(**).PA-1028(**), PBW-1028(**), PD-1028(**), PG-1028(**), PIC-1028(**), PIC-1028-3, PIC-1028-4, PIC-1028B, PIC-1028B(**), PIC-1028B-2, PIC-1028B-3, PR-1028, PR-1028(**),

Test Report

Report No. A2250947137102005R1

Page 6 of 8

PT-1028(**).PBT-1046, PBW-1046(**), PD-1046, PD-1046(**), PD-1046-2, PE-1046(**), PET-1046, PIC-1046, PIC-1046(**), PIC-1046-4, PIC-1046-8, PIC-1046B, PIC-1046B-2, PIC-1046B-3, POLU-1046, PR-1046, PV-1046.PBT-1048, PBW-1048(**), PD-1048(**), PE-1048, PE-1048(**), PET-1048, PIC-1048(**), PIC-1048-3.PIC-1048-4, PIC-1048-8, PIC-1048B, PIC-1048B(**), PIR-1048(**), PN-1048(**), POLU-1048, POLU-1048(**), PR-1048, PR-1048(**), PT-1048, PT-1048(**), PV-1048.PBT-1026, PE-1026, PE-1026(**), PET-1026, PIC-1026(**), PIC-1026-8, PIC-1026B, PIC-1026B(**), PIC-1026B-2, PR-1026, PR-1026, PR-1026(**), PV-1026.PBT-1063(**), PBW-1063, PBW-1063(**), PD-1063(**), PE-1063(**), PET-1063, PIC-1063 (**), PIC-1063-8, PIC-1063B, PIC-1063B(**), PIC-1063B-2, PN-1063**), POLU-1063, PR-1063, PR-1063(**), PW-1063(**), UV-1063 (**).PBT-1012, PBT-1012(**), PBW-1012(**), PD-1012(**), PE-1012, PE-1012(**), PET-1012, PIC-1012(**), PIC-1012-4, PIC-1012-8, PIC-1012B, PIC-1012B-2, PIC-1012B-3, PIR-1012(**), PL-1012, PL-1012(**), PL-1012D, PL-1012D(**), POLU-1012, PR-1012, PR-1012(**), PT-1012(**), PV-1012, PW-1012(**), UV-1012(**).PBT-1011, PD-1011, PD-1011(**), PE-1011, PE-1011(**), PET-1011, PIC-1011(**), PIC-1011-8, PIC-1011B, PIC-1011B-2, , PR-1011.PBT-1016, PBW-1016(**), PD-1016(**), PIC-1016(**), PIC-1016-10, PIC-1016-2, PIC-1016-4, PIC-1016B, PIC-1016B-2, PIC-1016B-3, PIR-1016(**), POLU-10 (**), PR-1016, PR-1016(**), PT-1016, PT-1016(**), PV-1016, RC-1016, PBW-1050(**), PD-1050(**), PD-1050-2, PD-1050S-1, PE-1050, PE-1050(**), PET-1050, PET-1050(**), PIC-1050(**), PIC-1050-4, PIC-1050B, PIC-1050B(**), PIC-1050B-2, PIC-1050B-3, PIC-1050-10, PR-1050, PR-1050(**), PT-1050(**), PV-1050.PA-1053(**), PBT-1053, PBW-1053(**), PD-1053(**), PD-105S-1, PD-1053S-2, PE-1053, PE-1053(**), PET-1053, PET-1053(**), PIC-1053(**), PIC-1053-3, PIC-1053-4, PIC-1053-8, PIC-1053B, PIC-1053B(**), PIC-1053B-2, PIC-1053B-3, PIC-1053B-3 (**), PIR-1053 (**), PK-1053, PK-1053A, PK-1053(**), PM-1053(**), PN-1053(**), POLU-1053 (**), PR-1053, PR-1053(**), PT-1053(**), PV-1053, PW-1053(**), UV-1053(**), UV-1053-5, UV-1053-6, UV-1053-7, UV-1053-8.PG-1028(**), PD-103(**), PE-103(**), PG-103(**), PIC-103(**), PT-103(**), PBT-012, PBT-012(**), PE-012, PE-012(**), PET-012, PIC-012(**), POLU-012(**), PS-012(**), PT-012(**), RC-012, YM-012, PG-1042(**), PG-1042(**), PT-1053(**), PT-1050(**), PT-1048(**), PD-1001(**), PG-1001(**), PT-1001(**), PG-1035(**), PT-1035, PT-1035(**), PG-1016(**), PT-1016, PT-1016(**), PT-1012(**), PIC-1004(**), PT-1004(**), PG-1029(**), PR-1029(**), PA-011, PBT-011, PE-011, PET-011, PIC-011(**), POLU-011(**), B0-1004, POLU-10C, POLU-10C(**), PR-10C, PR-10C(**), PT-011(**), RC-011, YM-011, PBT-012.PBT-012(**), PE-012, PE-012(**), PET-012, PET-012(**), PIC-012(**), POLU-012(**), PS-012(**), PT-012(**), RC-012, YM-012, PG-2667.HD-G(**), HD-AH(**), HD-CG(**), HD-**, P-1700(**), PD-1000, PD-1000(**), PD-2#80B(AP), PD-G(**), PET-1000(**), PG-100, PG-1000, PG-1000(**), PG-G**, PIC-1000, PIC-1000(**), PIC-G(**), PIR-1000(**), PR-(2号80B), PR-(G18-A), PR-1000, PR-1000(**), PR-300, PR-G(**), PW-1000(**), RA-(**), AH-S(**), P-1700(**), RA-G40, P-1300(**), PIC-1300(**), PIR 专用流平剂, ZJ-A(**), P-1200(**), P-1300(**), PIR 专用消泡剂, ZJ-B(**).P-100, P-100(**), P-1000(**).P-1400A, P-1800(**), P-200A, P-200, P-200(**), P-2000, P-2000A, P-300, P-300(**), P-500, P-500(**), P-600, P-600(**), P-700, P-718, P-**, P-800, P-800(**), P-900, P-900(**).P-1900, P-1900(**), UV-1200, UV-1000 PIR-1083(**), PICSD-1083B(**), PBT-1083, PBT-1083(**), EA-1001, PG-1001, KV-1004(**), UV-10056, UV-120728E(**), UV-130905C, UV-120202B, PL-1001(**), PL-1083(**), PR-1075W(**), PIR-1075-H(**), PR-1075(**).PR-1075-3.PR-1075-3(**).PR-1075-5(**), PR-1075-8(**), PR-1075-8T(**), PR-1075-8W(**), PR-1075D, PR-1075D(**), PR-1075B(**), PN-1075(**), PN-1075-5(**), PBW-1075-3, PBW-1075-5(**),

Test Report

Report No. A2250947137102005R1

Page 7 of 8

PIR-1075(**), PIR-1075-H(**), PW-1075(**), PT-1075(**), POLU-1075, POLU-1075-3, POLU-1075-5, POLU-1075(**), RC-1075(**), PM-1075(**), PS-1075(**), KB-1075, PK-1075(**), BO-1075, PET-1075, PET-1075, PT-1075(**), PK-1075(**), UV-1075(**), PN-1004(**), PA-1004(**), PET-1004(**), PIR-1004(**), PB-1004(**), PET-1004(**), ZJ-T(**), P-1500(**), P-1400(**), PB-1035, PB-1053, RR-2624, PM-1075, PM-1075(**), PD-1053S-1, PIC-130412B, PS 光油, A569, S1-12706, PIC-108(W), PIC-1083W, A301-70, S1-12624, POLU-100606D, 606-825-60, S1-13390, S1-14032, S1-14392, kv 色膏, S1-12006, S1-**, VA 光油, VB 光油, PR-**, A301-70, B-805, RR-805, LG-810-60, 101-821-50, LG-810-60, PET 光, A569, UV-1300, PR-**, 101-802-60, 101-821-50, 202-825-60, 219-50, P-601, RC-**, BO-**, POLU-10B, POLU-783, POLU-PH(**), 302-819-50, 303-825-60, 505-825-60, A629-1, RR-4392, ZJ-T(**)

(备注: 括号内 “**” 代表我司产品流水号)


Test Report

Report No. A2250947137102005R1


Page 8 of 8

Photo(s) of the sample(s)

Before drying



After drying



Statement:

1. This report is considered invalid without approved signature, special seal and the seal on the perforation;
2. The Company Name shown on Report and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which CTI hasn't verified;
3. The result(s) shown in this report refer(s) only to the sample(s) tested;
4. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule ($w=0$) stated in ILAC-G8:09/2019 / CNAS-GL015:2022;
5. Without written approval of CTI, this report can't be reproduced except in full;
6. In case of any discrepancy between the English version and Chinese version of the reports (if generated), the Chinese version shall prevail.

*** End of Report ***